



## PRESCOTT LUXURY VINYL PLANK COLLECTION

Prescott® Luxury Vinyl Planks come in several styles and colors—from soft subtle hues like cream and dove gray to handsome browns—and it's protected with a 20-mil commercial grade version of CrystaLux Ultra™, a protection layer that provides durability and longevity to protect against everyday wear. This waterproof and maintenance-free 7x48 luxury vinyl flooring is suitable for busy residential and commercial environments, and all grade levels. Prescott's easy-install locking system saves time and money on installation. With “no acclimation” technology, this rigid core flooring allows for buy today, install today convenience. This LVP Collection comes with a lifetime limited residential—with dent warranty, 20-year limited light commercial and 15-year limited commercial warranty.



**Akadia**

VTRAKADIA7X48-6.5MM-20MIL



**Amber Forrester**

VTRAMBFOR7X48-6.5MM-20MIL



**Austell Grove**

VTRAUSGRO7X48-6.5MM-20MIL



**Barnstorm**

VTRBARSTO7X48-6.5MM-20MIL



**Barrell**

VTRBARREL7X48-6.5MM-20MIL



**Bembridge**

VTRBEMBRI7X48-6.5MM-20MIL



**Billingham**

VTRBILLIN7X48-6.5MM-20MIL



**Boswell**

VTRBOSWEL7X48-6.5MM-20MIL



**Bracken Hill**

VTRBRAHIL7X48-6.5MM-20MIL



**Braly**

VTRBRALY7X48-6.5MM-20MIL




**Brianka**

VTRBRIANK7X48-6.5MM-20MIL




**Brookings**

VTRBROKIN7X48-6.5MM-20MIL



**Brookline**

VTRBROOKL7X48-6.5MM-20MIL



**Chester Hills**

VTRCHEHIL7X48-6.5MM-20MIL



**Cranton**

VTRCRANTO7X48-6.5MM-20MIL



**Draven**

VTRDRAVEN7X48-6.5MM-20MIL



**Dulles Tails**

VTRDULTAI7X48-6.5MM-20MIL



**Dunite Oak**

VTRDUNOAK7X48-6.5MM-20MIL



**Exotika**

VTREXOTIK7X48-6.5MM-20MIL



**Fauna**

VTRFAUNA7X48-6.5MM-20MIL



**Finely**  
VTRFINELY7X48-6.5MM-20MIL



**Grayton**  
VTRGRAYTO7X48-6.5MM-20MIL



**Hawthorne**  
VTRHAWTHO7X48-6.5MM-20MIL



**Honey Bella Oak**  
VTRHONBEL7X48-6.5MM-20MIL



**Jenta**  
VTRJENTA7X48-6.5MM-20MIL



**Kardigan**  
VTRKARDIG7X48-6.5MM-20MIL



**Katella Ash**  
VTRKATASH7X48-6.5MM-20MIL




**Lenexa Creek**  
VTRLENCRE7X48-6.5MM-20MIL



**Ludlow**  
VTRLUDLOW7X48-6.5MM-20MIL



**Mezcla**  
VTRMEZCLA7X48-6.5MM-20MIL




**Runmill Isle**  
VTRRUNISL7X48-6.5MM-20MIL




**Ryder**  
VTRRYDER7X48-6.5MM-20MIL



**Sandino**  
VTRSANDIN7X48-6.5MM-20MIL



**Stable**  
VTRSTABLE7X48-6.5MM-20MIL



**Valleyview Grove**  
VTRVALGRO7X48-6.5MM-20MIL



**Walnut Waves**  
VTRWALWAV7X48-6.5MM-20MIL




**Weathered Brina**

VTRWEABRI7X48-6.5MM-20MIL



**Whitfield Gray**

VTRWHTGRA7X48-6.5MM-20MIL



**Woburn Abbey**

VTRWOBABB7X48-6.5MM-20MIL



**Wolfeboro**

VTRWOLFEB7X48-6.5MM-20MIL

**ASTM (E492-09 / ASTM 989-06) :** 72 - drop ceiling / 54 - 6" slab

**ASTM D2047 (Coefficient Of Friction) :**  $\geq 0.6$  (Dry)

**ASTM E2179 (Impact Sound Reductions) :**  $\Delta IIC \geq 26$  dB

**ASTM F1514 (Heat Stability) :** Passes

**ASTM F1914 (Residual Indentation) :** Passes (PSI Equivalent  $> 5,000$  lbs.)

**ASTM F925 (Resistance To Chemicals) :** Passes

**Bevel :** Standard

**Click Type :** Patented Locking System

**ASTM 648 (Radiant Panel) :**  $> 0.45$  watts/CM<sup>2</sup>, NFPA Class 1

**ASTM D5116 (VOC Requirements) :** Passes  $< 100$  mg/m

**ASTM E662 (Nbs Smoke) :**  $< 450$

**ASTM F1515 (Light Stability) :** Passes

**ASTM F2199 (Dimensional Stability) :** Passes

**Backing Type :** 1MM IXPE

**Certifications :** FloorScore & Greenguard

**Color :** Beige, Blonde, Brown, Gray-Dark, Gray-Light, Red

---

**Core Thickness** : 5.5MM

**Enhanced Beveled Edges** : No

**Indoor-Outdoor** : Matching Exterior Pavers Available

**LVT Type** : Rigid Core

**Phillips Castor Chair @ 100 Lbs.** : Passes @ 25,000 cycles

**Radiant Heating** : /files/flyers/rigid-core-everlife-lvt-flyer.pdf, Yes

**Series Name** : Prescott

**Size Category** : Accessories, Pavers, Plank

**Texture** : Standard Wood Grain

**Tile Type** : Rigid Core, Vinyl

**Vinyl Trim** : Vinyls Trim

**Wear Layer** : 20MIL

**Zero Acclimation** : Yes

**Edge Type** : Clean Cut

**Finish** : Matte

**Installation Type** : Patented Locking System (Angle / Angle)

**Material Type** : Lvt

**Primary Installation Type** : Float Click

**Scratch/Scuff/Abrasion Properties** : Very Good

**Size** : 7x48, 8x47

**Style** : Wood

**Thickness** : 6.5MM

**Type** : 100% Waterproof Rigid Core

**Warranty** : Lifetime Limited Residential, 20-Year Limited Light Commercial, 15-Year Limited Commercial

**With Pre-Attached** : Engineered Pad